

## OPERATOR INSTRUCTIONS

1. Operator must read and review all operator and rider safety instructions
2. Operator must review rider safety instructions with all riders.
3. Operator must make sure there is a 6' clearance on all sides of the inflatable.
4. Operator must make sure all tie downs are secured and routinely check them.
5. Operator must keep all riders away from blower units.
6. Operator must follow limits posted on unit or provided in handbook, grouping riders of similar size/age together, up to maximum # and /or weight.
7. Operator must supervise all riders at all times. Never leave unit unattended.
8. Operator must make sure that no one enters the unit with shoes, eyeglasses, necklaces, belts, dangling earrings, rings, watches, or any sharp object on person or in pockets.
9. Operator must observe riders at all times while they are in or on the unit.
10. Operator must remain near unit to warn riders against flips, somersaults, wrestling, bouncing off netting, or grabbing netting on unit.
11. Operator must instruct riders on these and all posted safety rules.
12. Operator must not allow riders who are visibly ill, under the influence of drugs or alcohol, have current or previous injury to back or neck, have respiratory conditions, are pregnant, have chronic knee or joint conditions, an/or have any heart or circulatory conditions to enter the unit.
13. Operator must caution riders to cross arms over chest and slide feet first only. No head first sliding.
14. Operator must caution riders to exit landing area immediately after sliding to avoid being hit by other sliders.
15. If unit loses power or begins to deflate—remain calm—assist all riders safely off unit.
16. In the case of winds over 15 mph, rain or lightning—remain calm—assist all riders safely off unit. When all riders are safely off unit, unplug blower.
17. For water slide with pool: Operator must check water level in pool and maintain it at a depth of 15", indicated on unit with solid line.
18. Operator should periodically check slide covers for proper fit and if need be, reposition for a smooth surface.
19. Operator must ensure riders are not removing or lifting slide covers, or zippers. Slide covers and zippers provide protection for both unit and rider.
20. Operator must ensure that no food or drink is brought onto or consumed in unit.
21. No silly string is allowed in or near unit.

## RIDER SAFETY INSTRUCTIONS

1. Do not enter unit if the operator is not present.
2. Follow operator instructions.
3. Do not enter unit if: under the influence of drugs and/or alcohol, you have any current or previous injury to back or neck, you have any respiratory conditions, you are pregnant, you have any chronic knee or other joint conditions, or you have any heart or circulatory conditions.
4. Remove all sharp or pointed objects from yourself or your pockets.
5. Remove any food or gum from your mouth or pockets.
6. Remove any eyeglasses, jewelry, hair clips, and barrettes.
7. Remove shoes.
8. No smoking.
9. No flips or diving.
10. No double sliding.
11. No piling on or wrestling.
12. No roughhousing or horseplay.
13. No bouncing off of or grabbing onto netting.
14. Slide feet first only with arms folded across chest.
15. No head first sliding.
16. Do not climb on side walls.
17. Immediately exit landing area to avoid being hit by other riders.
18. Do not lift, remove, or climb under slide covers.
19. Do not tamper with zippers or flaps either in or outside unit.
20. If conditions get windy or unit loses air—stay calm—sit down and follow operator instructions to safely exit unit.
21. No silly string allowed in or around unit.

I certify that the employee of Channahon General Rental, Inc., whose signature is below, has instructed me on the safe use and operation of the inflatable. I have received copies of the Operator's Instructions, Rider Safety Rules and Safety Guidelines. I assume responsibility for the safe operation of the inflatable and safety of its riders.

---

Employee Signature	Print Name	Date
--------------------	------------	------

---

Signature	Print Name	Date
-----------	------------	------

## SAFETY GUIDELINES

The following is a guide for capacities. Use your best judgment when allowing numbers of participants approaching the limits. Supervision and sound judgment are the key elements of safety.

1. Inflatable units are engineered to be safe when children's weight is evenly distributed throughout the inside jumping surface area.
2. 15' x 15' bounce units—the maximum recommended number of participants is 10 children age 5 and under, 8 children age 6 to 8, 6 children age 9 to 10, 4 children age 11 to 12 and 3 children age 12 and older.
3. 13' x 13' bounce units—the maximum recommended number of participants is 8 children age 5 and under, 6 children age 6 to 8, 5 children age 9 to 10, 3 children age 11 to 12 and 2 children age 12 and older.
4. Slide, dry style—the maximum recommended number of participants is 4 on the unit at any time. For all ages we recommend a maximum of two children with adequate spacing climbing the unit, one child waiting to slide and one child in the process of sliding. As each child exits the slide, another is allowed to begin the climb. Do not allow more than one child at a time to slide down the unit.
5. Slide, wet style—the maximum recommended number of participants is 3 on the unit at any time. For all ages we recommend a maximum of one child climbing the unit, one child waiting to slide and one child in the process of sliding. As each child exits the slide, another is allowed to begin the climb. Do not allow more than one child at a time to slide down the unit.
6. Slip n Slide—the maximum recommended number of participants on the unit at any given time is 1 for single lane and 2 for double lane. Allow the previous user (s) to fully exit the unit prior to allowing the next user to enter the unit.
7. Combo units—the maximum allowed on the unit at the same time is 8. No more than four in bounce area, 2 in the obstacle area, one on the climb up portion and one sliding down.
8. Obstacle courses—the maximum recommended is 6 on obstacle 1, obstacle 2, or obstacle 4. Maximum recommended is 8 on obstacle 3. Of these numbers 1 is counted on the climb up section of the slide and one on the slide down section.
9. Rock climbing wall—the maximum recommended is 2. As each rider exits 2 more may begin ascent.